

# Sunset Daiquiri (.5g & 1g) PASS



SAMPLE ID  
**195406**

SAMPLE NAME  
**Sunset Daiquiri (.5g & 1g)**

MATRIX  
**Concentrate**

BATCH ID  
**RV231**

TRACK AND TRACE TEST PACKAGE  
**1A4060300005F6400000203**

TRACK AND TRACE SOURCE PACKAGE(S)  
**1A4060300002EE1000003721  
1A4060300002EE1000003722**

COLLECTED, RECEIVED  
**05/27/2020 13:31, 05/27/2020 18:18**

BATCH SIZE, SAMPLE SIZE  
**7325 units, 20 units**

PRODUCTION DATE  
**05/26/2020**

DISTRIBUTOR INFO  
**Central Coast Ag Distribution, LLC  
1201 W. Chestnut St.  
Lompoc, CA 93436  
License: C11-0000496-LIC**

MANUFACTURER INFO  
**Central Coast AG Products, LLC  
1201 West Chestnut Ave.  
Lompoc, CA 93436  
License: CDPH-10003156**

**TOTAL  
THC** **83.93 %**

**TOTAL  
CBD** **ND**

**TOTAL  
CANNABINOIDS** **87.32 %**

**Chemical Residue** **PASS**  
No Analytes Detected

**Chemical Residue GC** **PASS**  
No Analytes Detected

**Residual Solvent** **PASS**  
Isopropyl Alcohol: 35.90 ug/g, Ethanol: 4.718 ug/g

**Microbial qPCR** **PASS**  
No Analytes Detected

**Heavy Metals** **PASS**  
Lead: <LLOQ

**Mycotoxins** **PASS**  
No Analytes Detected

**Filth and Foreign Material** **PASS**  
No Analytes Detected





### CANNABINOID ANALYSIS

**Total THC,CBD value(s) have been decarboxylated.**

TOTAL THC: 839.3 mg/g (83.93 %), 839.3 mg per package  
 TOTAL CBD: ND  
 TOTAL CANNABINOIDS: 873.2 mg/g (87.32 %)

UNIT OF MEASUREMENT: Milligrams per Gram(mg/g)

ANALYTE	RESULT	LOD	LLOQ	ANALYTE	RESULT	LOD	LLOQ
THCa	ND	0.2000	0.4000	CBDv	ND	0.2000	0.4000
D9THC	839.3 mg/g (83.93 %)	0.2000	0.4000	CBGa	ND	0.2000	0.4000
D8THC	ND	0.2000	0.4000	CBG	31.87 mg/g (3.187 %)	0.2000	0.4000
THCv	2.100 mg/g (0.2100 %)	0.2000	0.4000	CBN	ND	0.2000	0.4000
CBDa	ND	0.2000	0.4000	CBC	ND	0.2000	0.4000
CBD	ND	0.2000	0.4000				

#### ADDITIONAL INFORMATION

Method: SOP-TECH-001  
 Instrument: UPLC-DAD

Sample Prepped 05/29/2020 10:51  
 Sample Analyzed 05/29/2020 10:51

Sample Approved 06/01/2020 14:01



### CHEMICAL RESIDUE ANALYSIS PASS

UNIT OF MEASUREMENT: Micrograms per Gram(ug/g)

ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL	ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL
Abamectin	ND	0.0200	0.0400	0.1000 Pass	Acephate	ND	0.0200	0.0400	0.1000 Pass
Acequinocyl	ND	0.0200	0.0400	0.1000 Pass	Acetamiprid	ND	0.0200	0.0400	0.1000 Pass
Aldicarb	ND	0.0200	0.0400	0.0 Pass	Azoxystrobin	ND	0.0200	0.0400	0.1000 Pass
Bifenazate	ND	0.0200	0.0400	0.1000 Pass	Bifenthrin	ND	0.0200	0.0400	3.000 Pass
Boscalid	ND	0.0200	0.0400	0.1000 Pass	Carbaryl	ND	0.0200	0.0400	0.5000 Pass
Carbofuran	ND	0.0200	0.0400	0.0 Pass	Chlorantraniliprole	ND	0.0200	0.0400	10.00 Pass
Chlorfenapyr	ND	0.0400	0.1000	0.0 Pass	Chlorpyrifos	ND	0.0200	0.0400	0.0 Pass
Clofentezine	ND	0.0200	0.0400	0.1000 Pass	Coumaphos	ND	0.0200	0.0400	0.0 Pass
Cyfluthrin	ND	0.4000	1.000	2.000 Pass	Cypermethrin	ND	0.4000	1.000	1.000 Pass
Daminozide	ND	0.0200	0.0400	0.0 Pass	Diazinon	ND	0.0200	0.0400	0.1000 Pass
Dichlorvos	ND	0.0200	0.0400	0.0 Pass	Dimethoate	ND	0.0200	0.0400	0.0 Pass
Dimethomorph	ND	0.0200	0.0400	2.000 Pass	Ethoprophos	ND	0.0200	0.0400	0.0 Pass
Etofenprox	ND	0.0200	0.0400	0.0 Pass	Etoxazole	ND	0.0200	0.0400	0.1000 Pass
Fenhexamid	ND	0.0200	0.0400	0.1000 Pass	Fenoxycarb	ND	0.0200	0.0400	0.0 Pass
Fenpyroximate	ND	0.0200	0.0400	0.1000 Pass	Fipronil	ND	0.0400	0.1000	0.0 Pass
Flonicamid	ND	0.0200	0.0400	0.1000 Pass	Fludioxonil	ND	0.0200	0.0400	0.1000 Pass
Hexythiazox	ND	0.0200	0.0400	0.1000 Pass	Imazalil	ND	0.0200	0.0400	0.0 Pass
Imidacloprid	ND	0.0200	0.0400	5.000 Pass	Kresoxim methyl	ND	0.0200	0.0400	0.1000 Pass
Malathion	ND	0.0200	0.0400	0.5000 Pass	Metalaxyl	ND	0.0200	0.0400	2.000 Pass
Methiocarb	ND	0.0200	0.0400	0.0 Pass	Methomyl	ND	0.0200	0.0400	1.000 Pass
Mevinphos	ND	0.0200	0.0400	0.0 Pass	Myclobutanil	ND	0.0200	0.0400	0.1000 Pass
Naled	ND	0.0200	0.0400	0.1000 Pass	Oxamyl	ND	0.0200	0.0400	0.5000 Pass
Paclotrazol	ND	0.0200	0.0400	0.0 Pass	Permethrins	ND	0.0400	0.1000	0.5000 Pass



Phosmet	ND	0.0200	0.0400	0.1000	Pass	Piperonyl butoxide	ND	0.0200	0.0400	3.000	Pass
Prallethrin	ND	0.0200	0.0400	0.1000	Pass	Propiconazole	ND	0.0200	0.0400	0.1000	Pass
Propoxur	ND	0.0200	0.0400	0.0	Pass	Pyrethrins	ND	0.0200	0.0400	0.5000	Pass
Pyridaben	ND	0.0200	0.0400	0.1000	Pass	Spinetoram	ND	0.0200	0.0400	0.1000	Pass
Spinosad	ND	0.0300	0.0700	0.1000	Pass	Spiromesifen	ND	0.0200	0.0400	0.1000	Pass
Spirotetramat	ND	0.0200	0.0400	0.1000	Pass	Spiroxamine	ND	0.0200	0.0400	0.0	Pass
Tebuconazole	ND	0.0200	0.0400	0.1000	Pass	Thiacloprid	ND	0.0200	0.0400	0.0	Pass
Thiamethoxam	ND	0.0200	0.0400	5.000	Pass	Trifloxystrobin	ND	0.0200	0.0400	0.1000	Pass

**ADDITIONAL INFORMATION**

Method: SOP-TECH-002      Sample Prepped 05/29/2020 12:24      Sample Approved 06/01/2020 14:45  
 Instrument: LC-MS/MS      Sample Analyzed 05/29/2020 12:49

## CHEMICAL RESIDUE GC ANALYSIS PASS

UNIT OF MEASUREMENT: Micrograms per Gram(ug/g)

ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL	ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL
Captan	ND	0.1000	0.2000	0.7000 Pass	Chlordane	ND	0.0400	0.1000	0.0 Pass
Methyl parathion	ND	0.0400	0.1000	0.0 Pass	PCNB	ND	0.0200	0.0400	0.1000 Pass

**ADDITIONAL INFORMATION**

Method: SOP-TECH-010      Sample Prepped 05/29/2020 12:25      Sample Approved 06/01/2020 15:36  
 Instrument: GC-MS/MS      Sample Analyzed 05/29/2020 12:50

## RESIDUAL SOLVENT ANALYSIS PASS

UNIT OF MEASUREMENT: Micrograms per Gram(ug/g)

ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL	ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL
Acetone	ND	2.500	5.000	5000 Pass	Acetonitrile	ND	0.5000	1.000	410.0 Pass
Benzene	ND	0.5000	1.000	1.000 Pass	Butane	ND	24.00	48.00	5000 Pass
Chloroform	ND	0.5000	1.000	1.000 Pass	Ethanol	4.718 ug/g	1.000	2.500	5000 Pass
Ethyl Acetate	ND	2.500	5.000	5000 Pass	Ethyl Ether	ND	10.00	50.00	5000 Pass
Ethylene oxide	ND	0.5000	1.000	1.000 Pass	Heptane	ND	0.2500	0.5000	5000 Pass
Hexane	ND	0.2500	0.5000	290.0 Pass	Isopropyl Alcohol	35.90 ug/g	0.2500	0.5000	5000 Pass
Methanol	ND	1.000	2.500	3000 Pass	Methylene chloride	ND	0.2500	0.5000	1.000 Pass
Pentane	ND	1.000	2.500	5000 Pass	Propane	ND	5.000	10.00	5000 Pass
Toluene	ND	0.2500	0.5000	890.0 Pass	Xylenes	ND	0.5000	1.000	2170 Pass
Trichloroethylene	ND	0.2500	0.5000	1.000 Pass	1,2-Dichloroethane	ND	0.2500	0.5000	1.000 Pass

**ADDITIONAL INFORMATION**

Method: SOP-TECH-021      Sample Prepped 05/29/2020 15:24      Sample Approved 06/01/2020 12:42  
 Instrument: HS-GC-MS/FID      Sample Analyzed 05/29/2020 15:24



**MICROBIAL qPCR ANALYSIS** PASS

UNIT OF MEASUREMENT: Cycle Threshold (Ct)

ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL		ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL	
A.fumigatus	ND	33.00	0.0	0.0	Pass	A. flavus	ND	33.00	0.0	0.0	Pass
A. niger	ND	33.00	0.0	0.0	Pass	A. terreus	ND	33.00	0.0	0.0	Pass
STEC	ND	33.00	0.0	0.0	Pass	Salmonella spp	ND	33.00	0.0	0.0	Pass

**ADDITIONAL INFORMATION**

Method: SOP-TECH-016, SOP-TECH-022      Sample Prepped 05/29/2020 06:44      Sample Approved 05/29/2020 13:09  
Instrument: qPCR      Sample Analyzed 05/29/2020 06:47

**HEAVY METALS ANALYSIS** PASS

UNIT OF MEASUREMENT: Micrograms per Gram(ug/g)

ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL		ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL	
Arsenic	ND	0.0200	0.0500	0.2000	Pass	Cadmium	ND	0.0050	0.0500	0.2000	Pass
Lead	<LLOQ	0.0100	0.0500	0.5000	Pass	Mercury	ND	0.0030	0.0500	0.1000	Pass

**ADDITIONAL INFORMATION**

Method: SOP-TECH-013      Sample Prepped 05/29/2020 07:26      Sample Approved 05/29/2020 20:52  
Instrument: ICP-MS      Sample Analyzed 05/29/2020 07:28

**MYCOTOXINS ANALYSIS** PASS

UNIT OF MEASUREMENT: Micrograms per Kilogram(ug/kg)

ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL		ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL	
Aflatoxin B1	ND	1.000	2.000	N/A		Aflatoxin B2	ND	2.000	5.000	N/A	
Aflatoxin G1	ND	2.000	5.000	N/A		Aflatoxin G2	ND	2.000	5.000	N/A	
Total Aflatoxins	ND	10.00	14.00	20.00	Pass	Ochratoxin A	ND	1.000	2.000	20.00	Pass

**ADDITIONAL INFORMATION**

Method: SOP-TECH-020      Sample Prepped 05/28/2020 16:06      Sample Approved 05/29/2020 12:46  
Instrument: LC-MS/MS      Sample Analyzed 05/28/2020 16:15

**FILTH & FOREIGN MATERIAL ANALYSIS** PASS

UNIT OF MEASUREMENT: Filth and Foreign Matter (%)

ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL		ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL	
IF RH ME	ND	0.0	0.0	3.000	Pass	IFM	ND	0.0	0.0	25.00	Pass
Mold	ND	0.0	0.0	25.00	Pass	SSCD	ND	0.0	0.0	25.00	Pass

**ADDITIONAL INFORMATION**

Method: SOP-TECH-009      Sample Prepped 05/28/2020 14:36      Sample Approved 05/28/2020 15:04  
 Instrument: Visual Inspection      Sample Analyzed 05/28/2020 14:39

This report applies to the sample investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. This report provides technical results for a specific sample and the report shall not be altered, modified, supplemented, or abstracted in any manner. Any violation of these conditions renders the report and its results void.

All LQC samples required by state regulations were performed and met the acceptance criteria.

**THIS COA WAS REVIEWED AND APPROVED ON 06/01/2020, BY THE FOLLOWING:**



Cody Sheppard, PhD  
Co-Scientific Director



Kathryn Riker  
Quality Control Manager