

Certificate of Analysis

Produced: Mar 05, 2025

Sample: Agua de Fresa (0.5g) (Distillate) • Client: Central Coast AG Disribution, LLC • Batch: Pass



Manufacturer Info

Manufacturer
Central Coast Ag Products, LLC
1201 W Chestnut Ave
Lompoc, CA 93436
License
CDPH-10003156
Adult-Use - Manufacturing License

Distributor Info

Distributor
CENTRAL COAST AG DISTRIBUTION, LLC
424 Commerce Ct
Lompoc, CA 93436
License
C11-0001495-LIC
Adult-Use and Medicinal - Distributor License

Batch No.: 250000285
Test Pkg: 1A4060300040B29000012673
Src Pkg: 1A4060300002EE1000081740
Matrix: Distillate
Category: Inhalable
Sample ID: ICC-250228-14-005
Collected on: Feb 28, 2025
Received on: Feb 28, 2025
Batch Size: 738 Units
Sample Size: 30 Units
Sampled By: Christopher Osuna
Received By: Stephanie Paule
Package Size: 0.5 g

Batch Result: Pass			
Potency	Pass	Microbial	Pass
Terpenes	Tested	Mycotoxins	Pass
Solvents	Pass	Pesticides	Pass
Metals	Pass	Foreign	Pass

Cannabinoid Overview	
Total THC:	411 mg/pkg
Total CBD:	0.895 mg/pkg
Total Cannabinoids:	447 mg/pkg
Sum of Cannabinoids:	446 mg/pkg
Sum of Terpenes:	28.6 mg/pkg

POT-INST-005, POT-PREP-001: POT-INST-005, POT-PREP-001: Potency • Mar 05, 2025

Analyte	Amt (mg/pkg)	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Analyte	Amt (mg/pkg)	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)
CBC	4.08	0.815	8.15	0.268/0.803	CBT	6.45	1.29	12.9	0.116/0.406
CBD	0.895	0.179	1.79	0.0818/0.406	Δ ⁸ -THC		ND	ND	0.0656/0.406
CBDA		ND	ND	0.196/0.587	Δ ⁹ -THC	411	82.1	821	0.108/0.406
CBDV		ND	ND	0.0649/0.406	THCA		ND	ND	0.149/0.446
CBG	24.0	4.79	47.9	0.0924/0.406	THCV		ND	ND	0.0501/0.406
CBGA		ND	ND	0.144/0.433	Total THC**	411	82.1	821	
CBL		ND	ND	0.0638/0.406	Total CBD**	0.895	0.179	1.79	
CBN	0.384	0.0768	0.768	0.0924/0.406					

** Total THC = Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + (THCA x 0.877)
** Total CBD = CBD + (CBDA x 0.877)
NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope* *Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.

This product has been tested by Infinite Chemical Analysis, LLC using testing methodologies and quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5725(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC



TERP-INST-003, TERP-PREP-001: TERP-INST-003, TERP-PREP-001: Terpene Testing by GC-MS • Mar 05, 2025

Analyte	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Analyte	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)
Total Terpenes	5.72	57.2		Camphene	< LOQ	< LOQ	0.00900/0.151
Terpinolene	1.59	15.9	0.0140/0.154	Fenchone	< LOQ	< LOQ	0.0100/0.151
β -Caryophyllene	1.17	11.7	0.228/0.684	(-)- β -Citronellol	ND	ND	0.138/0.598
β -Myrcene	1.14	11.4	0.0170/0.153	α -Cedrene	ND	ND	0.0290/0.151
Limonene	0.865	8.65	0.0530/0.306	β -Eudesmol	ND	ND	0.0640/0.192
α -Humulene	0.239	2.39	0.0320/0.151	Camphor	ND	ND	0.124/0.371
β -Pinene	0.199	1.99	0.0200/0.306	Cedrol	ND	ND	0.0390/0.151
α -Pinene	0.0979	0.979	0.0280/0.151	cis-Nerolidol	ND	ND	0.0880/0.264
Linalool	0.0714	0.714	0.0300/0.154	Eucalyptol	ND	ND	0.0740/0.221
Caryophyllene Oxide	0.0656	0.656	0.129/0.602	Geraniol	ND	ND	0.138/0.609
α -Bisabolol	0.0653	0.653	0.0540/0.162	Geranyl Acetate	ND	ND	0.0200/0.151
Fenchol	0.0536	0.536	0.0290/0.152	Guaial	ND	ND	0.0330/0.154
α -Terpineol	0.0474	0.474	0.0490/0.154	Isoborneol	ND	ND	0.0220/0.151
Δ^3 -Carene	0.0448	0.448	0.0300/0.306	Menthol	ND	ND	0.0570/0.170
α -Terpinene	0.0447	0.447	0.0450/0.151	p-Cymene	ND	ND	0.356/1.07
γ -Terpinene	0.0218	0.218	0.0330/0.152	Pulegone	ND	ND	0.0590/0.178
Borneol	< LOQ	< LOQ	0.0270/0.154	trans-Nerolidol	ND	ND	0.0770/0.230

RS-PREP-001, RS-INST-003: RS-PREP-001, RS-INST-003: Residual Solvents by GC-MS • Mar 04, 2025

Analyte	Limit (μ g/g)	Amt (μ g/g)	LOD/LOQ (μ g/ml)	Pass/Fail	Analyte	Limit (μ g/g)	Amt (μ g/g)	LOD/LOQ (μ g/ml)	Pass/Fail
1,2-Dichloroethane	1	ND	0.139/0.422	Pass	Hexane	290	ND	0.0548/0.233	Pass
Acetone	5000	< LOQ	14.2/42.5	Pass	Isopropyl alcohol	5000	ND	1.06/3.19	Pass
Acetonitrile	410	ND	0.0996/0.298	Pass	Methanol	3000	ND	2.47/7.40	Pass
Benzene	1	ND	0.0174/0.0530	Pass	Methylene chloride	1	ND	0.105/0.605	Pass
Butane	5000	ND	0.806/4.02	Pass	Pentane	5000	ND	0.798/3.54	Pass
Chloroform	1	ND	0.0299/0.0896	Pass	Propane	5000	ND	3.68/11.0	Pass
Ethanol	5000	ND	2.17/6.51	Pass	Toluene	890	ND	0.0730/0.717	Pass
Ethyl acetate	5000	ND	0.260/1.90	Pass	Trichloroethylene	1	ND	0.0149/0.120	Pass
Ethylene oxide	1	ND	0.127/0.480	Pass	o-Xylene		ND	0.0835/0.711	N/A
Ethyl ether	5000	ND	0.981/2.94	Pass	p- and m-Xylene		ND	0.0957/1.42	N/A
Heptane	5000	ND	0.570/2.37	Pass	Total xylenes	2170	ND	0.0168/0.143	Pass

HM-PREP-001, HM-INST-003: HM-PREP-001, HM-INST-003: Heavy Metals Testing by ICP-MS • Mar 04, 2025

Analyte	Limit (μ g/g)	Amt (μ g/g)	LOD/LOQ (μ g/g)	Pass/Fail	Analyte	Limit (μ g/g)	Amt (μ g/g)	LOD/LOQ (μ g/g)	Pass/Fail
Arsenic	0.2	< LOQ	0.00300/0.00900	Pass	Lead	0.5	< LOQ	0.00100/0.00400	Pass
Cadmium	0.2	ND	0.00100/0.00200	Pass	Mercury	0.1	ND	0.00500/0.0140	Pass

MICRO-PREP-001, MICRO-INST-001: MICRO-PREP-001, MICRO-INST-001: PCR-Microbial (inhalable) • Mar 05, 2025

Analyte	Amt	Pass/Fail	Analyte	Amt	Pass/Fail
Aspergillus flavus	ND	Pass	Aspergillus terreus	ND	Pass
Aspergillus fumigatus	ND	Pass	Salmonella spp.	ND	Pass
Aspergillus niger	ND	Pass	Shiga toxin-producing E. coli	ND	Pass

PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Mycotoxin Analysis by LC-MS/MS • Mar 05, 2025

Analyte	Limit (μ g/kg)	Amt (μ g/kg)	LOD/LOQ (μ g/kg)	Pass/Fail	Analyte	Limit (μ g/kg)	Amt (μ g/kg)	LOD/LOQ (μ g/kg)	Pass/Fail
Aflatoxin B1		ND	2.96/8.98	N/A	Aflatoxin G2		ND	2.07/6.26	N/A
Aflatoxin B2		ND	3.36/10.2	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	1.73/5.25	N/A	Ochratoxin A	20	ND	4.41/13.4	Pass

PEST-GC-PREP-001, PEST-GC-INST-003: PEST-GC-PREP-001, PEST-GC-INST-003: Pesticide Analysis by GC-MS/MS • Mar 05, 2025

Analyte	Limit (μ g/g)	Amt (μ g/g)	LOD/LOQ (μ g/g)	Pass/Fail	Analyte	Limit (μ g/g)	Amt (μ g/g)	LOD/LOQ (μ g/g)	Pass/Fail
Captan	0.7	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0602/0.181	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.1	ND	0.0182/0.0545	Pass
Cyfluthrin	2	ND	0.0186/0.0558	Pass					



PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Pesticide Analysis by LC-MS/MS • Mar 05, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.1	ND	0.0500/0.100	Pass	Imazalil	Any amt	ND	0.00898/0.0300	Pass
Acephate	0.1	ND	0.00743/0.0300	Pass	Imidacloprid	5	ND	0.0109/0.0331	Pass
Acequinocyl	0.1	ND	0.0150/0.0456	Pass	Kresoxim-methyl	0.1	ND	0.00708/0.0300	Pass
Acetamiprid	0.1	ND	0.00496/0.0300	Pass	Malathion	0.5	ND	0.00313/0.0300	Pass
Aldicarb	Any amt	ND	0.00838/0.0300	Pass	Metaxalyl	2	ND	0.00467/0.0300	Pass
Azoxystrobin	0.1	ND	0.00530/0.0300	Pass	Methiocarb	Any amt	ND	0.00245/0.0300	Pass
Bifenazate	0.1	ND	0.00706/0.0300	Pass	Methomyl	1	ND	0.00879/0.0300	Pass
Bifenthrin	3	ND	0.00439/0.0300	Pass	Mevinphos	Any amt	ND	0.00772/0.0300	Pass
Boscalid	0.1	ND	0.00809/0.0300	Pass	Myclobutanil	0.1	ND	0.00707/0.0300	Pass
Carbaryl	0.5	ND	0.00604/0.0300	Pass	Naled	0.1	ND	0.00849/0.0300	Pass
Carbofuran	Any amt	ND	0.00538/0.0300	Pass	Oxamyl	0.5	ND	0.00746/0.0300	Pass
Chlorantraniliprole	10	ND	0.00883/0.0300	Pass	Paclobutrazol	Any amt	ND	0.00851/0.0300	Pass
Chlorpyrifos	Any amt	ND	0.0152/0.0460	Pass	Permethrin	0.5	ND	0.00190/0.0300	Pass
Clofentezine	0.1	ND	0.00206/0.0300	Pass	Phosmet	0.1	ND	0.00511/0.0300	Pass
Coumaphos	Any amt	ND	0.00393/0.0300	Pass	Piperonylbutoxide	3	ND	0.00267/0.0300	Pass
Daminozide	Any amt	ND	0.0176/0.0534	Pass	Prallethrin	0.1	ND	0.0235/0.0711	Pass
Diazinon	0.1	ND	0.00475/0.0300	Pass	Propiconazole	0.1	ND	0.00909/0.0300	Pass
Dichlorvos	Any amt	ND	0.0182/0.0550	Pass	Propoxur	Any amt	ND	0.00780/0.0300	Pass
Dimethoate	Any amt	ND	0.00592/0.0300	Pass	Pyrethrins	0.5	ND	0.00278/0.0300	Pass
Dimethomorph	2	ND	0.00454/0.0300	Pass	Pyridaben	0.1	ND	0.00231/0.0300	Pass
Ethoprophos	Any amt	ND	0.00610/0.0300	Pass	Spinetoram	0.1	ND	0.00119/0.0300	Pass
Etofenprox	Any amt	ND	0.00437/0.0300	Pass	Spinosad	0.1	ND	0.000830/0.0300	Pass
Etiozole	0.1	ND	0.00365/0.0300	Pass	Spiromesifen	0.1	ND	0.00894/0.0300	Pass
Fenhexamid	0.1	ND	0.0113/0.0342	Pass	Spirotetramat	0.1	ND	0.00808/0.0300	Pass
Fenoxycarb	Any amt	ND	0.00415/0.0300	Pass	Spiroxamine	Any amt	ND	0.00555/0.0300	Pass
Fenpyroximate	0.1	ND	0.00396/0.0300	Pass	Tebuconazole	0.1	ND	0.00605/0.0300	Pass
Fipronil	Any amt	ND	0.0165/0.0500	Pass	Thiacloprid	Any amt	ND	0.00506/0.0300	Pass
Flonicamid	0.1	ND	0.0115/0.0350	Pass	Thiamethoxam	5	ND	0.00760/0.0300	Pass
Fludioxonil	0.1	ND	0.0119/0.0362	Pass	Trifloxystrobin	0.1	ND	0.00293/0.0300	Pass
Hexythiazox	0.1	ND	0.00124/0.0300	Pass					

