

## Certificate of Analysis

Produced: Mar 18, 2025

**Sample:** Guavamelon (1g) (Distillate) • **Client:** Central Coast AG Disribution, LLC • **Batch:** Pass



### Manufacturer Info

**Manufacturer**  
Central Coast Ag Products, LLC  
1201 W Chestnut Ave  
Lompoc, CA 93436

**License**  
CDPH-10003156  
Adult-Use - Manufacturing License

### Distributor Info

**Distributor**  
CENTRAL COAST AG DISTRIBUTION, LLC  
424 Commerce Ct  
Lompoc, CA 93436

**License**  
C11-0001495-LIC  
Adult-Use and Medicinal - Distributor License

**Batch No.:** 250000415  
**Test Pkg:** 1A4060300040B29000012886  
**Src Pkg:** 1A4060300002EE1000082542  
**Matrix:** Distillate  
**Category:** Inhalable  
**Sample ID:** ICC-250313-22-007  
**Collected on:** Mar 13, 2025  
**Received on:** Mar 13, 2025  
**Batch Size:** 3068 Units  
**Sample Size:** 15 Units  
**Sampled By:** Eric Pedersen  
**Received By:** Rebecca Fischer  
**Package Size:** 1 g

**Batch Result:** Pass

|                 |        |                   |      |
|-----------------|--------|-------------------|------|
| <b>Potency</b>  | Pass   | <b>Microbial</b>  | Pass |
| <b>Terpenes</b> | Tested | <b>Mycotoxins</b> | Pass |
| <b>Solvents</b> | Pass   | <b>Pesticides</b> | Pass |
| <b>Metals</b>   | Pass   | <b>Foreign</b>    | Pass |

### Cannabinoid Overview

|                             |                    |
|-----------------------------|--------------------|
| <b>Total THC:</b>           | <b>813 mg/pkg</b>  |
| <b>Total CBD:</b>           | <b>1.93 mg/pkg</b> |
| <b>Total Cannabinoids:</b>  | <b>864 mg/pkg</b>  |
| <b>Sum of Cannabinoids:</b> | <b>864 mg/pkg</b>  |
| <b>Sum of Terpenes:</b>     | <b>57.0 mg/pkg</b> |

### POT-INST-005, POT-PREP-001: POT-INST-005, POT-PREP-001: Potency • Mar 17, 2025

| Analyte | Amt (mg/pkg) | Amt (%) | Amt (mg/g) | LOD/LOQ (mg/g) | Analyte             | Amt (mg/pkg) | Amt (%) | Amt (mg/g) | LOD/LOQ (mg/g) |
|---------|--------------|---------|------------|----------------|---------------------|--------------|---------|------------|----------------|
| CBC     | 3.37         | 0.337   | 3.37       | 0.266/0.798    | CBT                 | 9.61         | 0.961   | 9.61       | 0.115/0.403    |
| CBD     | 1.93         | 0.193   | 1.93       | 0.0813/0.403   | Δ <sup>8</sup> -THC |              | ND      | ND         | 0.0652/0.403   |
| CBDA    |              | ND      | ND         | 0.195/0.583    | Δ <sup>9</sup> -THC | 813          | 81.3    | 813        | 0.108/0.403    |
| CBDV    |              | ND      | ND         | 0.0645/0.403   | THCA                |              | ND      | ND         | 0.148/0.444    |
| CBG     | 21.5         | 2.15    | 21.5       | 0.0918/0.403   | THCV                | 12.7         | 1.27    | 12.7       | 0.0498/0.403   |
| CBGA    |              | ND      | ND         | 0.143/0.430    | <b>Total THC**</b>  | 813          | 81.3    | 813        |                |
| CBL     |              | ND      | ND         | 0.0634/0.403   | <b>Total CBD**</b>  | 1.93         | 0.193   | 1.93       |                |
| CBN     | 1.97         | 0.197   | 1.97       | 0.0918/0.403   |                     |              |         |            |                |

\*\* Total THC = Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + (THCA x 0.877)

\*\* Total CBD = CBD + (CBDA x 0.877)

NR= Not Reported, ND= Not Detected, \*Reported by Dry Mass\*; \*analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope\* \*Density tested at a temperature range between 19-24 °C, \*Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.

This product has been tested by Infinite Chemical Analysis, LLC using testing methodologies and quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5725(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC



TERP-INST-003, TERP-PREP-001: TERP-INST-003, TERP-PREP-001: Terpene Testing by GC-MS • Mar 18, 2025

| Analyte                | Amt (%) | Amt (mg/g) | LOD/LOQ (mg/g) | Analyte             | Amt (%) | Amt (mg/g) | LOD/LOQ (mg/g) |
|------------------------|---------|------------|----------------|---------------------|---------|------------|----------------|
| Total Terpenes         | 5.70    | 57.0       |                | Borneol             | ND      | ND         | 0.0270/0.154   |
| β-Caryophyllene        | 1.78    | 17.8       | 0.228/0.684    | Camphene            | ND      | ND         | 0.00900/0.151  |
| β-Myrcene              | 1.64    | 16.4       | 0.0170/0.153   | Camphor             | ND      | ND         | 0.124/0.371    |
| α-Humulene             | 0.878   | 8.78       | 0.0320/0.151   | Caryophyllene Oxide | ND      | ND         | 0.129/0.602    |
| Terpinolene            | 0.723   | 7.23       | 0.0140/0.154   | Cedrol              | ND      | ND         | 0.0390/0.151   |
| Limonene               | 0.233   | 2.33       | 0.0530/0.306   | cis-Nerolidol       | ND      | ND         | 0.0880/0.264   |
| α-Pinene               | 0.177   | 1.77       | 0.0280/0.151   | Eucalyptol          | ND      | ND         | 0.0740/0.221   |
| β-Pinene               | 0.174   | 1.74       | 0.0200/0.306   | Fenchone            | ND      | ND         | 0.0100/0.151   |
| Fenchol                | 0.0456  | 0.456      | 0.0290/0.152   | Geraniol            | ND      | ND         | 0.138/0.609    |
| α-Terpineol            | 0.0310  | 0.310      | 0.0490/0.154   | Geranyl Acetate     | ND      | ND         | 0.0200/0.151   |
| α-Terpinene            | 0.0197  | 0.197      | 0.0450/0.151   | Guaiol              | ND      | ND         | 0.0330/0.154   |
| Δ <sup>3</sup> -Carene | < LOQ   | < LOQ      | 0.0300/0.306   | Isoborneol          | ND      | ND         | 0.0220/0.151   |
| γ-Terpinene            | < LOQ   | < LOQ      | 0.0330/0.152   | Linalool            | ND      | ND         | 0.0300/0.154   |
| (-)-β-Citronellol      | ND      | ND         | 0.138/0.598    | Menthol             | ND      | ND         | 0.0570/0.170   |
| α-Bisabolol            | ND      | ND         | 0.0540/0.162   | p-Cymene            | ND      | ND         | 0.356/1.07     |
| α-Cedrene              | ND      | ND         | 0.0290/0.151   | Pulegone            | ND      | ND         | 0.0590/0.178   |
| β-Eudesmol             | ND      | ND         | 0.0640/0.192   | trans-Nerolidol     | ND      | ND         | 0.0770/0.230   |

RS-PREP-001, RS-INST-003: RS-PREP-001, RS-INST-003: Residual Solvents by GC-MS • Mar 17, 2025

| Analyte            | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/ml) | Pass/Fail | Analyte            | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/ml) | Pass/Fail |
|--------------------|--------------|------------|-----------------|-----------|--------------------|--------------|------------|-----------------|-----------|
| 1,2-Dichloroethane | 1            | ND         | 0.168/0.512     | Pass      | Hexane             | 290          | ND         | 0.0664/0.283    | Pass      |
| Acetone            | 5000         | ND         | 17.2/51.6       | Pass      | Isopropyl alcohol  | 5000         | ND         | 1.29/3.86       | Pass      |
| Acetonitrile       | 410          | ND         | 0.121/0.361     | Pass      | Methanol           | 3000         | ND         | 2.99/8.97       | Pass      |
| Benzene            | 1            | ND         | 0.0211/0.0643   | Pass      | Methylene chloride | 1            | ND         | 0.128/0.733     | Pass      |
| Butane             | 5000         | ND         | 0.977/4.88      | Pass      | Pentane            | 5000         | ND         | 0.968/4.30      | Pass      |
| Chloroform         | 1            | ND         | 0.0362/0.109    | Pass      | Propane            | 5000         | ND         | 4.46/13.4       | Pass      |
| Ethanol            | 5000         | ND         | 2.63/7.89       | Pass      | Toluene            | 890          | ND         | 0.0885/0.869    | Pass      |
| Ethyl acetate      | 5000         | ND         | 0.315/2.30      | Pass      | Trichloroethylene  | 1            | ND         | 0.0181/0.146    | Pass      |
| Ethylene oxide     | 1            | ND         | 0.154/0.582     | Pass      | o-Xylene           |              | ND         | 0.101/0.862     | N/A       |
| Ethyl ether        | 5000         | ND         | 1.19/3.57       | Pass      | p- and m-Xylene    |              | ND         | 0.116/1.73      | N/A       |
| Heptane            | 5000         | ND         | 0.691/2.88      | Pass      | Total xylenes      | 2170         | ND         | 0.0168/0.143    | Pass      |

HM-PREP-001, HM-INST-003: HM-PREP-001, HM-INST-003: Heavy Metals Testing by ICP-MS • Mar 14, 2025

| Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g)  | Pass/Fail | Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g)  | Pass/Fail |
|---------|--------------|------------|-----------------|-----------|---------|--------------|------------|-----------------|-----------|
| Arsenic | 0.2          | ND         | 0.00300/0.00900 | Pass      | Lead    | 0.5          | ND         | 0.00100/0.00400 | Pass      |
| Cadmium | 0.2          | ND         | 0.00100/0.00200 | Pass      | Mercury | 0.1          | ND         | 0.00500/0.0140  | Pass      |

MICRO-PREP-001, MICRO-INST-001: MICRO-PREP-001, MICRO-INST-001: PCR-Microbial (inhalable) • Mar 17, 2025

| Analyte               | Amt | Pass/Fail | Analyte                       | Amt | Pass/Fail |
|-----------------------|-----|-----------|-------------------------------|-----|-----------|
| Aspergillus flavus    | ND  | Pass      | Aspergillus terreus           | ND  | Pass      |
| Aspergillus fumigatus | ND  | Pass      | Salmonella spp.               | ND  | Pass      |
| Aspergillus niger     | ND  | Pass      | Shiga toxin-producing E. coli | ND  | Pass      |

PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Mycotoxin Analysis by LC-MS/MS • Mar 17, 2025

| Analyte      | Limit (µg/kg) | Amt (µg/kg) | LOD/LOQ (µg/kg) | Pass/Fail | Analyte      | Limit (µg/kg) | Amt (µg/kg) | LOD/LOQ (µg/kg) | Pass/Fail |
|--------------|---------------|-------------|-----------------|-----------|--------------|---------------|-------------|-----------------|-----------|
| Aflatoxin B1 |               | ND          | 2.96/8.98       | N/A       | Aflatoxin G2 |               | ND          | 2.07/6.26       | N/A       |
| Aflatoxin B2 |               | ND          | 3.36/10.2       | N/A       | Aflatoxins   | 20            | ND          |                 | Pass      |
| Aflatoxin G1 |               | ND          | 1.73/5.25       | N/A       | Ochratoxin A | 20            | ND          | 4.41/13.4       | Pass      |



*[Signature]*

**PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Pesticide Analysis by LC-MS/MS • Mar 17, 2025**

| Analyte             | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte           | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|---------------------|--------------|------------|----------------|-----------|-------------------|--------------|------------|----------------|-----------|
| Abamectin           | 0.1          | ND         | 0.0500/0.100   | Pass      | Imazalil          | Any amt      | ND         | 0.00898/0.0300 | Pass      |
| Acephate            | 0.1          | ND         | 0.00743/0.0300 | Pass      | Imidacloprid      | 5            | ND         | 0.0109/0.0331  | Pass      |
| Acequinocyl         | 0.1          | ND         | 0.0150/0.0456  | Pass      | Kresoxim-methyl   | 0.1          | ND         | 0.00708/0.0300 | Pass      |
| Acetamiprid         | 0.1          | ND         | 0.00496/0.0300 | Pass      | Malathion         | 0.5          | ND         | 0.00313/0.0300 | Pass      |
| Aldicarb            | Any amt      | ND         | 0.00838/0.0300 | Pass      | Metaxalyl         | 2            | ND         | 0.00467/0.0300 | Pass      |
| Azoxystrobin        | 0.1          | ND         | 0.00530/0.0300 | Pass      | Methiocarb        | Any amt      | ND         | 0.00245/0.0300 | Pass      |
| Bifenazate          | 0.1          | ND         | 0.00706/0.0300 | Pass      | Methomyl          | 1            | ND         | 0.00879/0.0300 | Pass      |
| Bifenthrin          | 3            | ND         | 0.00439/0.0300 | Pass      | Mevinphos         | Any amt      | ND         | 0.00772/0.0300 | Pass      |
| Boscalid            | 0.1          | ND         | 0.00809/0.0300 | Pass      | Myclobutanil      | 0.1          | ND         | 0.00707/0.0300 | Pass      |
| Carbaryl            | 0.5          | ND         | 0.00604/0.0300 | Pass      | Naled             | 0.1          | ND         | 0.00849/0.0300 | Pass      |
| Carbofuran          | Any amt      | ND         | 0.00538/0.0300 | Pass      | Oxamyl            | 0.5          | ND         | 0.00746/0.0300 | Pass      |
| Chlorantraniliprole | 10           | ND         | 0.00883/0.0300 | Pass      | Paclobutrazol     | Any amt      | ND         | 0.00851/0.0300 | Pass      |
| Chlorpyrifos        | Any amt      | ND         | 0.0152/0.0460  | Pass      | Permethrin        | 0.5          | ND         | 0.00190/0.0300 | Pass      |
| Clofentezine        | 0.1          | ND         | 0.00206/0.0300 | Pass      | Phosmet           | 0.1          | ND         | 0.00511/0.0300 | Pass      |
| Coumaphos           | Any amt      | ND         | 0.00393/0.0300 | Pass      | Piperonylbutoxide | 3            | ND         | 0.00267/0.0300 | Pass      |
| Daminozide          | Any amt      | ND         | 0.0176/0.0534  | Pass      | Prallethrin       | 0.1          | ND         | 0.0235/0.0711  | Pass      |
| Diazinon            | 0.1          | ND         | 0.00475/0.0300 | Pass      | Propiconazole     | 0.1          | ND         | 0.00909/0.0300 | Pass      |
| Dichlorvos          | Any amt      | ND         | 0.0182/0.0550  | Pass      | Propoxur          | Any amt      | ND         | 0.00780/0.0300 | Pass      |
| Dimethoate          | Any amt      | ND         | 0.00592/0.0300 | Pass      | Pyrethrins        | 0.5          | ND         | 0.00278/0.0300 | Pass      |
| Dimethomorph        | 2            | ND         | 0.00454/0.0300 | Pass      | Pyridaben         | 0.1          | ND         | 0.00231/0.0300 | Pass      |
| Ethoprophos         | Any amt      | ND         | 0.00610/0.0300 | Pass      | Spinetoram        | 0.1          | ND         | 0.00119/0.0300 | Pass      |
| Etofenprox          | Any amt      | ND         | 0.00437/0.0300 | Pass      | Spinosad          | 0.1          | ND         | 0.00830/0.0300 | Pass      |
| Etiozole            | 0.1          | ND         | 0.00365/0.0300 | Pass      | Spiromesifen      | 0.1          | ND         | 0.00894/0.0300 | Pass      |
| Fenhexamid          | 0.1          | ND         | 0.0113/0.0342  | Pass      | Spirotetramat     | 0.1          | ND         | 0.00808/0.0300 | Pass      |
| Fenoxycarb          | Any amt      | ND         | 0.00415/0.0300 | Pass      | Spiroxamine       | Any amt      | ND         | 0.00555/0.0300 | Pass      |
| Fenpyroximate       | 0.1          | ND         | 0.00396/0.0300 | Pass      | Tebuconazole      | 0.1          | ND         | 0.00605/0.0300 | Pass      |
| Fipronil            | Any amt      | ND         | 0.0165/0.0500  | Pass      | Thiacloprid       | Any amt      | ND         | 0.00506/0.0300 | Pass      |
| Flonicamid          | 0.1          | ND         | 0.0115/0.0350  | Pass      | Thiamethoxam      | 5            | ND         | 0.00760/0.0300 | Pass      |
| Fludioxonil         | 0.1          | ND         | 0.0119/0.0362  | Pass      | Trifloxystrobin   | 0.1          | ND         | 0.00293/0.0300 | Pass      |
| Hexythiazox         | 0.1          | ND         | 0.00124/0.0300 | Pass      |                   |              |            |                |           |

**PEST-GC-PREP-001, PEST-GC-INST-003: PEST-GC-PREP-001, PEST-GC-INST-003: Pesticide Analysis by GC-MS/MS • Mar 17, 2025**

| Analyte      | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte                 | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|--------------|--------------|------------|----------------|-----------|-------------------------|--------------|------------|----------------|-----------|
| Captan       | 0.7          | ND         | 0.120/0.358    | Pass      | Cypermethrin            | 1            | ND         | 0.0602/0.181   | Pass      |
| Chlordane    | Any amt      | ND         | 0.0249/0.0747  | Pass      | Methyl parathion        | Any amt      | ND         | 0.00811/0.0243 | Pass      |
| Chlorfenapyr | Any amt      | ND         | 0.0251/0.0753  | Pass      | Pentachloronitrobenzene | 0.1          | ND         | 0.0182/0.0545  | Pass      |
| Cyfluthrin   | 2            | ND         | 0.0186/0.0558  | Pass      |                         |              |            |                |           |

