

## Certificate of Analysis

Produced: Jun 18, 2025

**Sample:** Sunset Vision (1g) (Distillate) • **Client:** Central Coast AG Distribution, LLC • **Batch:** Pass


### Manufacturer Info

**Manufacturer**  
Central Coast Ag Products, LLC  
1201 W Chestnut Ave  
Lompoc, CA 93436

**License**  
DCC-10003156  
Adult-Use - Manufacturing License

### Distributor Info

**Distributor**  
CENTRAL COAST AG DISTRIBUTION, LLC  
424 Commerce Ct  
Lompoc, CA 93436

**License**  
C11-0001495-LIC  
Adult-Use and Medicinal - Distributor License

**Batch No.:** 250000771

**Test Pkg:** 1A4060300040B29000014449

**Src Pkg:** 1A4060300002EE1000085014

**Matrix:** Distillate

**Submatrix:** Vape Cartridge

**Sample ID:** ICC-250613-25-002

**Collected on:** Jun 13, 2025

**Received on:** Jun 13, 2025

**Batch Size:** 7191 Units

**Sample Size:** 20 Units

**Sampled By:** Eric Pedersen

**Received By:** Jennifer Ray

**Package Size:** 1 g

**Batch Result:** Pass

<b>Potency</b>	Pass	<b>Microbial</b>	Pass
<b>Terpenes</b>	Tested	<b>Mycotoxins</b>	Pass
<b>Solvents</b>	Pass	<b>Pesticides</b>	Pass
<b>Metals</b>	Pass	<b>Foreign</b>	Pass

### Cannabinoid Overview

<b>Total THC:</b>	<b>852 mg/pkg</b>
<b>Total CBD:</b>	<b>2.21 mg/pkg</b>
<b>Total Cannabinoids:</b>	<b>888 mg/pkg</b>
<b>Sum of Cannabinoids:</b>	<b>888 mg/pkg</b>
<b>Sum of Terpenes:</b>	<b>45.8 mg/pkg</b>

### POT-INST-005, POT-PREP-001: POT-INST-005, POT-PREP-001: Potency • Jun 18, 2025

Analyte	Limit	Amt	Amt	LOD/LOQ (mg/g)	Pass/Fail	Analyte	Limit	Amt	Amt	LOD/LOQ (mg/g)	Pass/Fail
CBC		ND	ND	0.267/0.800	N/A	THCA		ND	ND	0.148/0.445	N/A
CBD		0.221 %	2.2 mg/g	0.0815/0.404	N/A	THCV		0.260 %	2.6 mg/g	0.0499/0.404	N/A
CBDA		ND	ND	0.195/0.585	N/A	<b>Total THC**</b>		85.2 %	850 mg/g		N/A
CBDV		ND	ND	0.0646/0.404	N/A	<b>Total CBD**</b>		0.221 %	2.2 mg/g		N/A
CBG		2.05 %	21 mg/g	0.0920/0.404	N/A	<b>CBD/Pkg</b>		2.21 mg			N/A
CBGA		ND	ND	0.144/0.431	N/A	<b>Δ<sup>9</sup>-THC/Pkg</b>	1100 mg	852 mg			Pass
CBL		ND	ND	0.0636/0.404	N/A	<b>Total THC/Pkg**</b>		852 mg			N/A
CBN		0.131 %	1.3 mg/g	0.0920/0.404	N/A	<b>Total CBD/Pkg**</b>		2.21 mg			N/A
CBT		0.965 %	9.7 mg/g	0.116/0.404	N/A	<b>Total Cannabinoids**</b>		88.8 %	890 mg/g		N/A
Δ <sup>8</sup> -THC		ND	ND	0.0653/0.404	N/A	<b>Total Cannabinoids/Pkg**</b>		888 mg			N/A
Δ <sup>9</sup> -THC		85.2 %	850 mg/g	0.108/0.404	N/A						

\*\* Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids \* 0.877)

\*\* Total THC = Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + (THCA x 0.877)

\*\* Total CBD = CBD + (CBDA x 0.877)

NR= Not Reported, ND= Not Detected, \*Reported by Dry Mass\*; \*analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope\*

\*Density tested at a temperature range between 19-24 °C, \*Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.

This product has been tested by Infinite Chemical Analysis, LLC using testing methodologies and quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5725(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC



TERP-INST-003, TERP-PREP-001: TERP-INST-003, TERP-PREP-001: Terpene Testing by GC-MS • Jun 18, 2025

Analyte	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Analyte	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)
Total Terpenes	4.58	45.8		α-Cedrene	ND	ND	0.00292/0.0152
Limonene	2.22	22.2	0.00530/0.0307	β-Eudesmol	ND	ND	0.00641/0.00641
β-Myrcene	0.601	6.01	0.00167/0.0154	Camphor	ND	ND	0.0124/0.0372
β-Caryophyllene	0.586	5.86	0.0229/0.0686	Caryophyllene Oxide	ND	ND	0.0130/0.0604
β-Pinene	0.297	2.97	0.00204/0.0306	Cedrol	ND	ND	0.00390/0.0152
α-Pinene	0.193	1.93	0.00285/0.0152	cis-Nerolidol	ND	ND	0.00882/0.0265
Linalool	0.192	1.92	0.00302/0.0155	Δ <sup>3</sup> -Carene	ND	ND	0.00297/0.0306
Fenchol	0.149	1.49	0.00286/0.0152	Eucalyptol	ND	ND	0.00739/0.0222
α-Humulene	0.141	1.41	0.00325/0.0152	γ-Terpinene	ND	ND	0.00330/0.0152
α-Terpineol	0.0755	0.755	0.00492/0.0155	Geraniol	ND	ND	0.0138/0.0610
Camphene	0.0413	0.413	0.000882/0.0152	Geranyl Acetate	ND	ND	0.00203/0.0152
Fenchone	0.0319	0.319	0.00103/0.0152	Guaiol	ND	ND	0.00326/0.0154
Terpinolene	0.0312	0.312	0.00141/0.0155	Isoborneol	ND	ND	0.00222/0.0152
Borneol	0.0175	0.175	0.00266/0.0155	Menthol	ND	ND	0.00569/0.0171
α-Terpinene	0.00444	0.0444	0.00451/0.0152	p-Cymene	ND	ND	0.0357/0.107
(-)-β-Citronellol	ND	ND	0.0139/0.0599	Pulegone	ND	ND	0.00594/0.0178
α-Bisabolol	ND	ND	0.00542/0.0163	trans-Nerolidol	ND	ND	0.00770/0.0231

RS-PREP-001, RS-INST-003: RS-PREP-001, RS-INST-003: Residual Solvents by GC-MS • Jun 18, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.168/0.511	Pass	Hexane	290	ND	0.0662/0.282	Pass
Acetone	5000	ND	17.1/51.4	Pass	Isopropyl alcohol	5000	ND	1.28/3.85	Pass
Acetonitrile	410	ND	0.120/0.360	Pass	Methanol	3000	ND	2.98/8.95	Pass
Benzene	1	ND	0.0211/0.0641	Pass	Methylene chloride	1	ND	0.127/0.732	Pass
Butane	5000	ND	0.975/4.87	Pass	Pentane	5000	ND	0.965/4.29	Pass
Chloroform	1	ND	0.0361/0.108	Pass	Propane	5000	ND	4.45/13.4	Pass
Ethanol	5000	ND	2.62/7.87	Pass	Toluene	890	ND	0.0883/0.867	Pass
Ethyl acetate	5000	ND	0.314/2.30	Pass	Trichloroethylene	1	ND	0.0181/0.146	Pass
Ethylene oxide	1	ND	0.154/0.581	Pass	o-Xylene	ND	ND	0.101/0.860	N/A
Ethyl ether	5000	ND	1.19/3.56	Pass	p- and m-Xylene	ND	ND	0.116/1.72	N/A
Heptane	5000	ND	0.689/2.87	Pass	Total xylenes	2170	ND		Pass

HM-PREP-001, HM-INST-003: HM-PREP-001, HM-INST-003: Heavy Metals Testing by ICP-MS • Jun 17, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	0.2	ND	0.00300/0.00900	Pass	Lead	0.5	< LOQ	0.00100/0.00400	Pass
Cadmium	0.2	< LOQ	0.00100/0.00200	Pass	Mercury	0.1	ND	0.00500/0.0140	Pass

MICRO-PREP-001, MICRO-INST-001: MICRO-PREP-001, MICRO-INST-001: PCR-Microbial (inhalable) • Jun 18, 2025

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Aspergillus flavus	Any amt in 1 gram	ND	Pass	Aspergillus terreus	Any amt in 1 gram	ND	Pass
Aspergillus fumigatus	Any amt in 1 gram	ND	Pass	Salmonella spp.	Any amt in 1 gram	ND	Pass
Aspergillus niger	Any amt in 1 gram	ND	Pass	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Mycotoxin Analysis by LC-MS/MS • Jun 18, 2025

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	2.96/8.98	N/A	Aflatoxin G2		ND	2.07/6.26	N/A
Aflatoxin B2		ND	3.36/10.2	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	1.73/5.25	N/A	Ochratoxin A	20	ND	4.41/13.4	Pass


PEST-GC-PREP-001, PEST-GC-INST-003: PEST-GC-PREP-001, PEST-GC-INST-003: Pesticide Analysis by GC-MS/MS • Jun 18, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	0.7	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0602/0.181	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.1	ND	0.0182/0.0545	Pass
Cyfluthrin	2	ND	0.0186/0.0558	Pass					



PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Pesticide Analysis by LC-MS/MS • Jun 18, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.1	ND	0.0500/0.100	Pass	Imazalil	Any amt	ND	0.00898/0.0300	Pass
Acephate	0.1	ND	0.00743/0.0300	Pass	Imidacloprid	5	ND	0.0109/0.0331	Pass
Acetaminocyl	0.1	ND	0.0150/0.0456	Pass	Kresoxim-methyl	0.1	ND	0.00708/0.0300	Pass
Acetamiprid	0.1	ND	0.00496/0.0300	Pass	Malathion	0.5	ND	0.00313/0.0300	Pass
Aldicarb	Any amt	ND	0.00838/0.0300	Pass	Metaxalyl	2	ND	0.00467/0.0300	Pass
Azoxystrobin	0.1	ND	0.00530/0.0300	Pass	Methiocarb	Any amt	ND	0.00245/0.0300	Pass
Bifenazate	0.1	ND	0.00706/0.0300	Pass	Methomyl	1	ND	0.00879/0.0300	Pass
Bifenthrin	3	ND	0.00439/0.0300	Pass	Mevinphos	Any amt	ND	0.00772/0.0300	Pass
Boscalid	0.1	ND	0.00809/0.0300	Pass	Myclobutanil	0.1	ND	0.00707/0.0300	Pass
Carbaryl	0.5	ND	0.00604/0.0300	Pass	Naled	0.1	ND	0.00849/0.0300	Pass
Carbofuran	Any amt	ND	0.00538/0.0300	Pass	Oxamyl	0.5	ND	0.00746/0.0300	Pass
Chlorantraniliprole	10	ND	0.00883/0.0300	Pass	Paclobutrazol	Any amt	ND	0.00851/0.0300	Pass
Chlorpyrifos	Any amt	ND	0.0152/0.0460	Pass	Permethrin	0.5	ND	0.00190/0.0300	Pass
Clofentezine	0.1	ND	0.00206/0.0300	Pass	Phosmet	0.1	ND	0.00511/0.0300	Pass
Coumaphos	Any amt	ND	0.00393/0.0300	Pass	Piperonylbutoxide	3	ND	0.00267/0.0300	Pass
Daminozide	Any amt	ND	0.0176/0.0534	Pass	Prallethrin	0.1	ND	0.0235/0.0711	Pass
Diazinon	0.1	ND	0.00475/0.0300	Pass	Propiconazole	0.1	ND	0.00909/0.0300	Pass
Dichlorvos	Any amt	ND	0.0182/0.0550	Pass	Propoxur	Any amt	ND	0.00780/0.0300	Pass
Dimethoate	Any amt	ND	0.00592/0.0300	Pass	Pyrethrins	0.5	ND	0.00278/0.0300	Pass
Dimethomorph	2	ND	0.00454/0.0300	Pass	Pyridaben	0.1	ND	0.00231/0.0300	Pass
Ethoprophos	Any amt	ND	0.00610/0.0300	Pass	Spinetoram	0.1	ND	0.00119/0.0300	Pass
Etofenprox	Any amt	ND	0.00437/0.0300	Pass	Spinosad	0.1	ND	0.00830/0.0300	Pass
Etoxazole	0.1	ND	0.00365/0.0300	Pass	Spiromesifen	0.1	ND	0.00894/0.0300	Pass
Fenhexamid	0.1	ND	0.0113/0.0342	Pass	Spirotetramat	0.1	ND	0.00808/0.0300	Pass
Fenoxycarb	Any amt	ND	0.00415/0.0300	Pass	Spiroxamine	Any amt	ND	0.00555/0.0300	Pass
Fenpyroximate	0.1	ND	0.00396/0.0300	Pass	Tebuconazole	0.1	ND	0.00605/0.0300	Pass
Fipronil	Any amt	ND	0.0165/0.0500	Pass	Thiacloprid	Any amt	ND	0.00506/0.0300	Pass
Flonicamid	0.1	ND	0.0115/0.0350	Pass	Thiamethoxam	5	ND	0.00760/0.0300	Pass
Fludioxonil	0.1	ND	0.0119/0.0362	Pass	Trifloxystrobin	0.1	ND	0.00293/0.0300	Pass
Hexythiazox	0.1	ND	0.00124/0.0300	Pass					



*DM*